MINI CARD WITH WRISTBAND

Global Tag RFID (and NFC) MINI CARD in PVC, ideal for hospitality facilities such as campsites and glamping sites. Equipped with a wristband that makes it wearable and reusable (single-use wristband).

Different customizations are available, such as offset printing, laser engraving of UID, serial number, QR or barcode.

All encoding types for access control and key room are available.

MECHANICAL AND ENVIRONMENTAL SPECIFICATIONS

Dimensions: Depends on the selected shape
Weight: Depends on the selected shape
Material: Mini card: PVC; Strap: fabric
Class Protection: IP68 (Totally protected against ingress of solid / Protected against long period of immersion)

Storage Temperature: -55°C + 65°C / -67°F to +149°F
Operating Temperature: -25°C to +50°C / -13°F to +122°F
Delivery format: Individual
Expected lifetime: Years in normal operating conditions
Weather Ability: Very Good, including UV resistance and sea water

TYPES OF RFID CHIPS:

LF: Available with TK4100, T5577. Other on request.
HF: Available with I-Code SLIX, I-Code SLIS, Mifare Ultralight, Mifare Classic 1K, Mifare Classic 4K, Mifare Plus X 4K, Mifare Desfire 4K, STM LRi2k, Ntag213, Ntag216, other on request.

PRINTING AND CUSTOM OPTIONS:

Different card shapes, including custom designs.
Various wristband shapes, also customizable.
Digital or offset logo printing – Barcode/QRCode – Serialization.
Main encoding standards for access control systems

AVAILABLE ENCODING FOR HOTEL DOOR LOCK:

Contact us to learn more about available encoding types.
We can also send samples of RFID Mini Card to check the actual encoding type of your system.
We are able to provide all the different encodes available on the market.

ORDER INFORMATION:

Standard product is blank, white color
PRODUCT CODE: GT-BDGY-xx (xx is the selected IC chip)
For more information, please contact us:
Global Tag Srl – Via Zanardelli 13/A 25062 Concesio (BS) - Italy
P +39 030 2005259
M hotellerie@global-tag.com

DISCLAIMER:

The information in this document is subject to change without notice. Global Tag assumes no responsibility for any errors that may appear in this document. Application recommendations are guidelines only - actual results may vary and should be confirmed. This is a general-purpose product not designed or intended for any specific application. Global Tag Srl or its subsidiaries are not responsible for the performance or support of third party products and does not make any representations or warranties whatsoever regarding quality, reliability, functionality, or compatibility of these devices or products.